

Production
5g

DCI/IC 741664


27 June 1974

MEMORANDUM FOR:



25X1

SUBJECT : Proposed Changes in KEP Guidance and
Instructions for FY 75 Baseline Report

1. Attached you will find a copy of the proposed changes in the KEP Guidance and Instructions for the FY 75 Baseline Report. I have prepared them with the help of the monitor team composed of Messrs.  They should be issued shortly before, or concurrently with, the FY 75 KIQs. I shall be discussing this proposal with the USIB Committee Chairman involved and the DIA KEP Monitor, so that I may obtain their views on the changes, particularly with respect to the Section C which has the major change.

25X1

2. The changes in Sections A and B are minor and are essentially clarifications made in the instruction prose. The change in the input format for Section C is designed to obtain a more explicit commitment from the individual programs in terms of the collection sensor/techniques. Other changes were designed to obtain improved collection expectation judgments and an explicit input of the technical sensor activities committed in each instance. As noted, in the cover memorandum for KEP participants, all of these changes result from our experience with the FY 74 baseline effort.



25X1

IC KEP Monitor

CONCUR:

C/CPAD/IC

C/MPRRD/IC

DC/PRD/IC

DCI/IC 74-1664

Distribution:

Orig.

1-Dr.

1-Mr.

1-Dr.

1-Maj

1-Maj

1-ADM

✓ 1-IC

1-PRD

1-PRD

1-WES

1-TB